

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE

ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved.
OMB No. 2040-0004

WA-000190-2

PERMIT NUMBER


DISCHARGE NUMBER

MONITORING PERIOD

FROM YEAR MO DAY TO YEAR MO DAY

2015 1 1 2015 1 31

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	28.42	29.06	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A	N/A		Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	0	0	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A		1/Month	Comp.	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A	N/A	0.1	N/A			2/Month	Grab	
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				1.2	1.75	2.3	MG/L			
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	15*			2/Month	Grab	
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	0.2			1/Week	Grab	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.						TELEPHONE		DATE		
David Carie Hatchery Manager, LNPH							509	548-7641	2015	1	31
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

APR - 6 2015

* Grab net over influent.

U.S. EPA REGION 10
Office of Compliance and Enforcement

RECEIVED
 6/20/15

		SUSPENDED			SETTLEABLE							
DATE	Jan '15 Location	SAMPLE VOLUME	COMP SAMPLE	TSS	NET DIFF MG/L	RELEASE TSS	NET SAMPLE CONC ML/L	RELEASE SETT.	WASTE KG/D	TOTAL FLOW MG/D	PONDS IN USE	GPM
1/15/2015	WEEK 1										ADULT POND ¹	Reuse
	INTAKE ICICLE	1000 ml	1				<0.1		0	28.224	10 X 100'S	11200
	OUTSIDE SC CANAL DISCHARGE	1000 ml									8 X 80'S	5700
	UNDER BRIDGE DISCHARGE	1000ml	1								NURSERY	2700
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	19600
1/8/2015	WEEK 2										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		1.4			<0.1			28.224	10 X 100'S	11200
	OUTSIDE SC CANAL DISCHARGE	1000ml									8 X 80'S	5700
	UNDER BRIDGE DISCHARGE	1000ml					<0.1				NURSERY	2700
	PA POND DISCHARGE	1000 ml		2.3			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	19600
1/22/2015	WEEK 3										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml		<1			<0.1			28.224	10 X 100'S	11200
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	5700
	UNDER BRIDGE DISCHARGE										NURSERY	2700
	PA POND DISCHARGE	1000 ml		1.2			<0.1				Trout Pond / FL'S	0
											TOTAL GPM ¹	19600
1/27/2015	WEEK 4										ADULT POND	Reuse
	INTAKE ICICLE	1000 ml					<0.1			29.0664	10 X 100'S	11200
	OUTSIDE SC CANAL DISCHARGE	1000ml									8 X 80'S	5700
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	3285
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0
	WEEK 5											
	INTAKE ICICLE	1000 ml										
	PA POND DISCHARGE	1000 ml									TOTAL GPM ¹	20185
	RELEASE/DRAWDOWN											
	ADULT POND	1000 ml										
	8x80 RACEWAYS	1000ml										
	10x100 RACEWAYS	1000ml										
	COHO FL's	1000 ml										

¹This amount includes well water

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE

ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

WA-000190-2

PERMIT NUMBER


DISCHARGE NUMBER

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
2015	2	1		2015	2	28

NOTE: Read instructions before completing this form.

APR - 6 2015

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	28.70	29.07	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A	N/A		Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	165.08	165.08	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A		1/Month	Comp.	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	0.1	N/A			2/Month	Grab
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	1.75	2.5	MG/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	15*			2/Month	Grab
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	0.2			1/Week	Grab
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.						TELEPHONE		DATE		
David Carle Hatchery Manager, LNFH							509	548-7641	2015	2	28
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.

RECEIVED
APR 6 2015

		SUSPENDED					SETTLEABLE					APR 6 2015	
	Feb '15	SAMPLE	COMP	TSS	NET DIFF	RELEASE	NET SAMPLE	RELEASE	WASTE	TOTAL FLOW	PONDS IN USE	GPM	
DATE	Location	VOLUME	SAMPLE		MG/L	TSS	CONC ML/L	SETT.	KG/D	MG/D			
2/4/2015	WEEK 1										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml	1				<0.1		165.08595	29.07936	10 X 100'S	11200	
	OUTSIDE SC CANAL DISCHARGE	1000 ml									8 X 80'S	5700	
	UNDER BRIDGE DISCHARGE	1000ml	2.5								NURSERY	3294	
	PA POND DISCHARGE	1000ml					<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	20194	
2/12/2015	WEEK 2										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			29.07936	10 X 100'S	11200	
	OUTSIDE SC CANAL DISCHARGE	1000ml									8 X 80'S	5700	
	UNDER BRIDGE DISCHARGE	1000ml					0.1				NURSERY	3294	
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	20194	
2/19/2015	WEEK 3										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			29.07936	10 X 100'S	11200	
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	5700	
	UNDER BRIDGE DISCHARGE										NURSERY	3294	
	PA POND DISCHARGE	1000 ml		2.5			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	20194	
2/26/2015	WEEK 4										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml					<0.1			27.576	10 X 100'S	11200	
	OUTSIDE SC CANAL DISCHARGE	1000ml									8 X 80'S	7950	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	0	
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0	
	WEEK 5												
	INTAKE ICICLE	1000 ml											
	PA POND DISCHARGE	1000 ml									TOTAL GPM ¹	19150	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

¹This amount includes well water

PERMITTEE NAME/ADDRESS (include Facility Name/Location if Different)

NAME U.S. DEPT. OF INTERIOR U.S. FISH
AND WILDLIFE SERVICE

ADDRESS Leavenworth National Fish Hatchery
12790 Fish Hatchery Rd
Leavenworth, WA 98826

FACILITY
LOCATION Leavenworth, WA

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

WA-000190-2

PERMIT NUMBER

DISCHARGE NUMBER

MONITORING PERIOD


YEAR	MO	DAY	YEAR	MO	DAY
2015	3	1	2015	3	31

FROM TO

Form Approved.
OMB No. 2040-0004

APR -- 6 2015

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
Flow	SAMPLE MEASUREMENT	27.57	27.57	MGD							Total
	PERMIT REQUIREMENT	N/A	N/A		N/A	N/A	N/A	N/A		Daily	
Suspended Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT	0	0	Kg/Day							
	PERMIT REQUIREMENT	704	921		N/A	N/A	N/A		1/Month	Comp.	
Settleable Solids Non-Cleaning Total Discharge	SAMPLE MEASUREMENT				<0.1	<0.1	<0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A	N/A	0.1	N/A			2/Month	Grab	
Suspended Solids Cleaning Effluent	SAMPLE MEASUREMENT				<1	1.4	1.8	MG/L			
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	15*			2/Month	Grab	
Settleable Solids Cleaning Effluent	SAMPLE MEASUREMENT				<0.1	<0.1	0.1	ML/L			
	PERMIT REQUIREMENT	N/A	N/A	N/A	N/A	0.2			1/Week	Grab	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE		
David Carie Hatchery Manager, LNFH							509	548-7641	2015	3	31
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

* Grab net over influent.

ADD - 6 2015

		SUSPENDED					SETTLEABLE					ADP - 6/2015	
	March '15	SAMPLE	COMP	TSS	NET DIFF	RELEASE	NET SAMPLE	RELEASE	WASTE	TOTAL FLOW	PONDS IN USE	GPM	
DATE	Location	VOLUME	SAMPLE		MG/L	TSS	CONC ML/L	SETT.	KG/D	MG/D			
3/5/2015	WEEK 1										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml	1				<0.1		0	27.576	10 X 100'S	11200	
	OUTSIDE SC CANAL DISCHARGE	1000 ml									8 X 80'S	7950	
	UNDER BRIDGE DISCHARGE	1000ml	1								NURSERY	0	
	PA POND DISCHARGE	1000ml					0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	19150	
3/12/2015	WEEK 2										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		<1			<0.1			27.576	10 X 100'S	11200	
	OUTSIDE SC CANAL DISCHARGE	1000ml									8 X 80'S	7950	
	UNDER BRIDGE DISCHARGE	1000ml					<0.1				NURSERY	0	
	PA POND DISCHARGE	1000 ml		<1			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	19150	
3/19/2015	WEEK 3										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml		1.1			<0.1			27.576	10 X 100'S	11200	
	OUTSIDE SC CANAL DISCHARGE										8 X 80'S	7950	
	UNDER BRIDGE DISCHARGE										NURSERY	0	
	PA POND DISCHARGE	1000 ml		1.8			<0.1				Trout Pond / FL'S	0	
											TOTAL GPM ¹	19150	
3/24/2015	WEEK 4										ADULT POND	Reuse	
	INTAKE ICICLE	1000 ml					<0.1			27.576	10 X 100'S	11200	
	OUTSIDE SC CANAL DISCHARGE	1000ml									8 X 80'S	7950	
	UNDER BRIDGE DISCHARGE	1000 ml					<0.1				NURSERY	0	
	PA POND DISCHARGE	1000 ml					<0.1				Trout Pond / FL'S	0	
	WEEK 5												
	INTAKE ICICLE	1000 ml											
	PA POND DISCHARGE	1000 ml									TOTAL GPM ¹	19150	
	RELEASE/DRAWDOWN												
	ADULT POND	1000 ml											
	8x80 RACEWAYS	1000ml											
	10x100 RACEWAYS	1000ml											
	COHO FL's	1000 ml											

¹This amount includes well water